

4B'S BRACKET

**“FOR ALL YOUR TANK NEEDS”
SAFETY - STORING - TRANSPORTING**

4B's CYLINDER HOLDERS

The 4B's cylinder holders will hold your tanks safely in place. The rubber gasket, on the inside of the holder, eliminates all concern of friction and noise.


Just a few turns with your fingers tightens or loosens the wing nut, which holds the tank firmly in place, or lets the bolt swing out of your way.

The yoke is welded to the cylinder holder and is fastened to the bracket with two 3/4" long 5/16" bolts, lock washers and nuts.


The holder is hinged and swings back giving you access to the tank much quicker and easier than chains and makeshift methods.

Ideal for installing filter - driers, liquid receivers, mufflers, accumulators, oil separators, acetylene hydraulic flash arrestors.

Quick and easy to install - strong enough to support connecting pipes and valves. Makes it easy to remove and replace.




TH-104
Through
TH-116




**Cuts installation time by 50%
- less labour cost -
more profit.**



B-101



B-102



B-101 and B-102 Shown Together

4B's BRACKET

The 4B's bracket can be placed either vertical or horizontal for securing tank holders. Holds 1 to 3 tank holders, with 2 extenders it will extend to 4 feet of securing area.

Brackets may be used consecutively to accommodate any number of cylinders.


4B's INDUSTRIAL CHEMICAL BRACKET

CORROSION RESISTANT

This 4B's bracket is specifically designed for resistance to corrosion and is used by the industrial chemical industry to secure their various compressed gas cylinders.


Its most common use is for securing chlorine cylinders in municipal water and sewage treatment plants, swimming pools and by various industrial users of chlorine cylinders. It may be used on scales allowing the cylinders to slip through the ring, yet be securely held from tipping.

The bracket is coated with an epoxy ester finish baked on at 350° F. Each bracket has a stainless steel bolt, nylon hinge pin, and a special formula rubber gasket.



CH-110
CB-101 (Bracket Not Shown)

4B's BENCH BRACKET




B-103

The 4B's bench bracket when firmly fastened, holds any size cylinder holder to all bench work areas. Easy to install, easy to remove, (cylinder holder not included).


4B's POLE BRACKET

The 4B's Pole Bracket is especially designed for securing compressed gas cylinders to poles such as telephone poles in a manner to eliminate theft of cylinders when used in conjunction with the 4B's Lock Adaptor (not included).

It is fastened to the pole with a screw or lag bolt placed under the rubber gasket which is not accessible when the tank is fastened in the 4B's Pole Bracket; it also has a lag screw hole at each end of the bracket for additional stability.



PB-109




4B's LOCK ADAPTOR

The 4B's Lock Adaptor will eliminate theft of your compressed gas cylinders when they are secured in a 4B's bracket.

Your cylinder can be quickly locked or unlocked by inserting the lock adaptor into place when the wing nut is vertical and tightened until the cylinder is securely held.

A padlock can then be inserted through the holes in the bottom of the lock adaptor securing your cylinder from theft.



BL-100 (Padlock not included)

4B's CYLINDER VISE



V-112 For 12" to 13" diameter cylinders
V-115 For 14½" to 15¼" diameter cylinders

Your cylinder is securely held in place by the rubber gasket which eliminates marring the tank surface when you are removing that stubborn valve.

The holder is hinged and swings back giving you access to the cylinder quicker and easier than other methods.


The handle which locks the cylinder securely in place is easily adjusted to assure correct size for securing the cylinder. It works quickly and is out of your way while you are working.

4B's MOUNTING BRACKETS FOR LP-GAS FUEL CYLINDERS


Lift Truck Fuel Cylinders

Heavy duty construction, horizontal or vertical mounting. Positive and adjustable clamping. Rubber gasket to securely hold cylinder from turning and also eliminates vibration and noise.

Locating pin is mounted on reversible steel bar which adjusts to various size cylinders and provides additional stability.



FLH-201



FLV-201

CYLINDER HOLDER SELECTION CHART

Tank Holder	Oxygen	Acetylene	Argon	Nitrogen	Filter Driers	Liquid Receivers	Refrigerant	Misc.
TH-104	D E	MC				X		
TH-140					X	X		
TH-145	R							RCO ₂
TH-105	XL	B			X	X	10 lbs. 25 lbs. 50 lbs.	
TH-106	E 60 1 Y 80 1A Q 122 1B M 08	R NB	AS			X	25 lbs. 50 lbs.	
TH-107	S D	WQ	S	S D Q		X	25 lbs. 50 lbs.	
TH-108		WS R WC S WSL 2 3						
TH-185		WW				X		
TH-109 PB-109	H 244 G 330 K		T K	K		X	25 lbs. 30 lbs.	K CO ₂ H Hydrogen
TH-110		4 M					125 lbs. 145 lbs.	
CH-110								Chlorine
TH-112		WK 6 5 L				X	50 lbs.	20lbs Propane. 100 lbs. ANHYD. AM. Mapp Gas
TH-114								100 lbs. Propane 150 lbs. ANHYD. AM.
TH-116						X		
BL-100	Lock Adaptor Fits all Tank Holders. Slides over wing nut. Any padlock locks Tank Holder.							

BRACKET SELECTION CHART

B-101	19" Bracket. Holds 1 to 3 Tank Holders.
B-102	17 ³ / ₄ " Extender. Attached to B-101 extends tank holding area.
B-103	Bench Bracket. Firmly fastened, holds Tank Holder to any bench. Easy to install.
CB-101	For securing CH-110. Special coating for securing chlorine and other industrial chemicals.